

Orange County Sanitation District
 Surfzone Bacteriology Monitoring
 Fecal Coliform Bacteria (CFU/100 mL)
 Daily Monitoring Data
 February 2023

Date	OSB03	OSB05	OSB04	OSB01	OSUB1	39N	33N	BCO-1	27N	HB1D	HB2U	HB2	HB2D	HB3D	21N	HB4D	HB5D	15N	12N
2/1																			
2/2																			
2/3																			
2/4																			
2/5																			
2/6																			
2/7	17	<17	<17	17	50	<17	<17	<17	<17	<17			<17	<17	<17	<17	<17	<17	<17
2/8																			
2/9																			
2/10																			
2/11																			
2/12																			
2/13																			
2/14	<17	<17	<17	<17	<17	<17	<17	<17	<17	<17			<17	33	<17	<17	67	17	17
2/15																			
2/16																			
2/17																			
2/18																			
2/19																			
2/20																			
2/21	<17	33	<17	<17	<17	<17	17	<17	<17	<17			<17	<17	<17	<17	<17	<17	17
2/22																			
2/23																			
2/24																			
2/25																			
2/26																			
2/27																			
2/28	270	250	250	17	33	33	<17	17	17	17	83	3900	700	83	<17	83	<17	<17	<17
3/1																			

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWB – Confluence With Blue
 CWOB – Confluence Without Blue
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

9N	6N	3N	0	SAR-N	TM	3S	6S	9S	15S	21S	27S	29S	BGCU	BGC	BGCD	PPCU	PPC	PPCD	39S
<17	<17	<17	<17		17	17	<17	<17	<17	<17	<17	<17	<17	120	<17	<17	62	<17	<17
<17	<17	<17	17	<17															
17	<17	<17	<17		50	<17	<17	<17	<17	<17	<17	<17	50	12000	500	<17	320	<17	<17
<17	<17	<17	50	<17															
<17	<17	<17	17		33	<17	17	<17	<17	<17	<17	<17	<17	<15	<17			<17	<17
17	33	<17	<17	<17															
17	<17	<17	<17		<17	33	<17	<17	17	33	33	<17	<17	<15	<17			17	<17
<17	<17	<17	370	420															

R - Samples influenced by rain.
S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
CWB – Confluence With Blue
CWOB – Confluence Without Blue
LA - Laboratory Accident
NR - No Results.
NT - Sample Not Taken
Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.

WFCU	WFC	WFCD	ONB39	MDCU	MDC	MDCD
<17	<15	<17	<17	<17	420	<17
<100	<15	<100	<100	<17	92	<17
50	120	50	<17	17	62	<17
17	62	<17	17	<17	110	<17

R - Samples influenced by rain.
 S - Samples influenced by Santa Ana River or D2 Flood Control Channel.
 CWB – Confluence With Blue
 CWOB – Confluence Without Blue
 LA - Laboratory Accident
 NR - No Results.
 NT - Sample Not Taken
 Santa Ana River (SAR) and D2 Flood Control Channel (D2) are runoff samples taken in addition to required stations.